Registered No. M.—1175.

667

The Mysore Gazette

Vol. 55.] PUBLISHED BY AUTHORITY. [No. 9.

BANGALORE, THURSDAY, FEBRUARY 26, 1920.

PART V.

Season Report for the Week ending with the 8th Saturday in 1920 (21st February 1920).

	District and Station	Rainfall up to 8 A.M. on Saturday: This week		Last ten years' average for the corresponding week		Up to the end of the week from 1st January 1920: This year		Average of past ten years		Excess (+) or defect (—) of column 4 compared with column 5		Price of food grains in seers per rupee and market fluctuations in prices of food grains			
1		2		3		4		5		6		7			
		I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years' fortnightly average
		...	...	...	...	...	...	...	...	...	...		Seers.	Seers.	Seers.
BANGALORE.	Bangalore C. & M. Station ...	...	...	0	03	0	75	0	27	+ 0	48	Rice, 2nd sort.	4·00	4·00	6·25
	„ City & Taluk ...	...	...	...	...	0	80	0	19	+ 0	61				
	Hoskote ...	...	...	...	...	0	91	0	17	+ 0	74				
	Dodballapur ...	...	...	0	01	0	57	0	14	+ 0	43				
	Nelamangala ...	...	...	...	...	0	13	0	07	+ 0	06	Ragi	7·00	7·50	14·00
	Kankanhalli ...	...	...	0	02	0	12	0	11	+ 0	01	Kulthi	6·00	6·00	12·37
	Magadi ...	...	...	...	...	...	...	0	06	— 0	06	Kadale	3·25	3·50	7·75
	Channapatna ...	...	...	...	...	0	61	0	26	+ 0	35				
	Anekal ...	...	...	0	01	0	80	0	30	+ 0	50				
	Devanhalli ...	...	...	...	...	...	...	0	07	— 0	07				
	Closepet ...														
	District average...	...	...	0	01	0	46	0	15	+ 0	30				
KOLAR.	Kolar ...	...	...	...	...	1	10	0	36	+ 0	74	Rice, 2nd sort.	4·00	4·00	7·72
	Bowringpet ...	0	08	...	...	0	88	0	33	+ 0	55				
	Chintamani ...	...	...	...	...	1	68	0	20	+ 1	48	Ragi	6·00	6·00	17·23
	Mulbagal ...	...	...	0	04	2	64	0	51	+ 2	13	Kulthi	7·00	5·50	11·75
	Sidlaghatta ...	...	...	...	...	1	26	0	28	+ 0	98	Kadale	3·00	3·00	9·10
	Chikballapur ...	...	...	...	...	1	41	0	23	+ 1	18				
	Bagepalli ...	...	...	...	...	1	59	0	05	+ 1	54				
	Goribidnur ...	...	...	...	...	1	00	0	20	+ 0	80				
	Malur ...	...	...	...	...	1	17	0	32	+ 0	85				
	Srinivaspur ...	...	...	...	...	1	88	0	46	+ 1	42				
	Gudibanda ...	...	...	...	...	2	10	0	13	+ 1	97				
	District average...	0	01	...	...	1	52	0	28	+ 1	24				
TUMKUR.	Tumkur ...	...	...	...	...	0	95	0	15	+ 0	80	Rice, 2nd sort	4·50	4·00	8·00
	Maddagiri ...	...	...	...	...	1	71	0	52	+ 1	19				
	Chiknayakanhalli ...	...	...	...	...	0	37	0	42	— 0	05	Ragi	7·00	7·00	18·00
	Sira ...	...	...	...	...	0	45	0	34	+ 0	11	Kulthi	7·00	7·00	10·00
	Gubbi ...	...	...	0	01	0	45	0	34	+ 0	11	Kadale	3·00	3·00	8·80
	Tiptur ...	...	...	...	...	0	29	0	17	+ 0	12				
	Pavagada ...	...	...	...	...	0	69	0	46	+ 0	23				
	Kunigal ...	...	...	0	03	...	...	0	21	— 0	21				
	Koratagere ...	...	...	...	...	1	22	0	19	+ 1	03				
	Turuvekere ...	...	...	...	...	0	55	0	29	+ 0	26				
	District average ...	...	...	...	...	0	67	0	31	+ 0	36				

District and Station	Rainfall up to 8 A.M. on Saturday: This week		Last ten years' average for the corresponding week		Up to the end of the week from 1st January 1920: This year		Average of past ten years		Excess (+) or defect (—) of column 4 compared with column 5		Price of food grains in seers per rupee and market fluctuations in prices of food grains			
1	2		3		4		5		6		7			
	I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years' fortnightly average
MYSORE.												Seers	Seers	Seers
Mysore ...	...	...	...	...	...	...	0	36	— 0	36	Rice, 2nd sort.	4·75	4·75	6·57
Chamrajnagar ...	0	25	...	...	0	74	0	42	+ 0	22	Ragi	7·50	6·50	14·31
Seringapatam ...	0	22	...	...	0	22	0	28	— 0	06	Kulthi	6·25	6·25	13·46
Hunsur ...	...	...	...	...	0	31	0	36	— 0	05	Kadale	...	...	...
Yedatore ...	...	...	...	...	...	...	0	20	— 0	20				
Heggaddevankote ...	...	...	...	...	0	25	0	32	— 0	07				
Gundlupet ...	...	...	...	...	2	09	0	27	+ 1	82				
Nanjangud ...	...	...	...	...	0	10	0	52	— 0	42				
T.-Narsipur ...	...	...	...	...	...	...	0	43	— 0	43				
Malvalli ...	...	...	...	...	0	35	0	14	+ 0	21				
Mandya ...	...	...	...	...	...	...	0	43	— 0	43				
Krishnarajpete ...	...	...	...	...	...	...	0	36	— 0	36				
Nagamangala ...	...	...	...	...	...	...	0	45	— 0	45				
District average...	...	...	...	...	0	31	0	35	— 0	04				
HASSAN.														
Hassan ...	...	...	0	27	0	58	1	98	— 1	40	Rice, 2nd sort.	5·00	4·50	8·50
Manjarabad (Saklespur) ...	...	...	0	17	0	18	1	08	— 0	90	Ragi	7·00	7·00	16·50
Arkalgud ...	...	...	0	35	...	...	1	54	— 1	54	Kulthi	6·00	6·00	13·50
Belur ...	...	...	0	14	0	13	1	08	— 0	95	Kadale	3·00	3·00	7·50
Channarayapatna ...	...	...	0	21	0	15	1	02	— 0	87				
Arsikere ...	...	...	0	11	0	16	1	28	— 1	12				
Hole-Narsipur ...	...	...	0	16	0	03	0	68	— 0	65				
Alur (Sub) ...	...	...	0	17	0	31	1	13	— 0	82				
District average...	...	...	0	20	0	19	1	22	— 1	03				
SHIMOGA.														
Shimoga ...	Report not received.										Rice, 2nd sort.			
Channagiri ...											Ragi			
Honnali ...											Kulthi			
Shikarpur ...														
Sorab ...														
Sagar ...														
Nagar (Kallurkatte) ...														
Tirthahalli ...														
Kumsi ...														
District average...														
KADUR.														
Chikmagalur ...	...	...	...	...	0	16	0	35	— 0	19	Rice, 2nd sort.	5·50	5·50	3·25 to 5·50
Kadur ...	...	...	...	...	...	...	0	31	— 0	31	Ragi	7·50	8·00	8·00
Tarikere ...	...	...	...	...	...	...	0	44	— 0	44	Kulthi	6·50	6·00	8·00
Koppa ...	...	...	...	...	...	...	0	26	— 0	26	Kadale	3·00	3·00	3·50
Mudgere ...	...	...	0	03	...	...	0	25	— 0	25				
Narasimharajapura ...	...	...	...	...	0	07	0	25	— 0	18				
Sringeri ...	...	...	...	...	0	18	0	19	— 0	01				
District average...	...	...	...	...	0	06	0	29	— 0	23				
CHITALDRUG.														
Chitaldrug ...	...	...	...	...	0	47	0	55	— 0	08	Rice, 2nd sort.	4·00	4·00	7·50
Challakere ...	...	...	...	...	0	16	0	21	— 0	05	Ragi	9·00	8·00	18·00
Hiriyur ...	...	...	...	...	...	...	0	31	— 0	31	Kulthi	8·00	8·00	15·00
Holalkere ...	...	...	...	...	...	...	0	44	— 0	44	Cholam	11·00	11·00	15·00
Davangere ...	...	...	...	...	...	...	0	14	— 0	14	Kadale	3·50	3·50	7·25
Molakalmuru ...	...	...	...	...	0	17	0	39	— 0	22				
Jagalur ...	...	...	...	...	0	73	0	58	+ 0	15				
Hosdurga ...	...	...	...	...	0	21	0	22	— 0	01				
Haribar ...	...	...	...	...	...	...	0	42	— 0	42				
District average...	...	...	...	...	0	19	0	36	— 0	17				
Provincial average...	...	...	...	...	...	...	...	...	...	...				

NOTE.—Rice (husked)—Oryza Sativa. Ragi—Eleusine Coracana. Kulthi—(Horse gram) Dolichos Biflorus. Cholum—Sorghum Vulgare. Kadale—(Bengal gram) Cicer Arietinum.

DISTRICT REPORTS.

8. Markets how supplied.
9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damage done to crops by insects or other natural calamities.
10. Prospects of season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief, and state of food stocks.
11. Public health.
12. Remarks as to the condition of agricultural stock, failure of pasturage, of fodder, etc.

BANGALORE CIVIL AND MILITARY STATION.

(*Report on the season, etc., for the week ending Saturday the 14th February 1920*).

	Average for the past five years of the corresponding week.	*Current.*	
Prices of food grains—Boiled rice (2nd sort) ...	6·10	4·25	Quantity per rupee by the standard seer of 80 tolas.
Ragi	13·12	7·22	
Rangoon rice (2nd sort) ...		5·45	

Agricultural operations.—Ragi is under thrashing. Cattle are healthy. Water and fodder are sufficient.

	Average for the past five years of the corresponding week.	*Current.*	
Prices of food grains—Boiled rice (2nd sort) ...	Report not received.		Quantity per rupee by the standard seer of 80 tolas.
Ragi			
Rangoon rice (2nd sort) ...			

BANGALORE CITY AND TALUKS.

8. Market is fairly supplied.
9. *Agricultural operations.*—Nil.

Seeds sown.—Vaisakhi paddy in parts of Hoskote, Nelamangala, Channapatna and Devanhalli Taluks.

Standing crops.—Sugar-cane, paddy, kadale, potatoes and mulberry are in good condition.

Damages to crops.—Nil.

Crops harvested.—Sugar-cane in parts of Bangalore, Kankanhalli and Anekal Taluks; paddy in parts of Bangalore and Devanhalli Taluks; ragi in parts of Bangalore, Dodballapur, Nelamangala, Kankanhalli and Anekal Taluks; avare in parts of Nelamangala, Hoskote and Dodballapur Taluks; togari in parts of Nelamangala Taluk; kulthi in parts of Hoskote and Kankanhalli Taluks.

Estimated outturn.—Sugar-cane—Kankanhalli and Devanhalli Taluks, 12 annas; Anekal Taluk, 8 to 12 annas; paddy—Nelamangala Taluk, 8 to 10 annas; Devanhalli, 8 annas; ragi—Anekal and Channapatna Taluks, 10 annas; Nelamangala Taluk, 8 to 12 annas; Devanhalli Taluk, 8 annas; Kankanhalli, 6 to 8 annas; kulthi—Kankanhalli and Nelamangala Taluks, 8 annas; avare—Nelamangala Taluk, 8 annas; Kankanhalli Taluk, 4 annas; togari—Nelamangala Taluk, 8 annas.

10. Prospects of the season are good. Food stuffs are available, but the prices are still ruling high. Cooly classes find sufficient labour.

11. Plague prevails in all the taluks, except Kankanhalli, Channapatna and Closepet. Public health is otherwise generally good.

12. Cattle are generally healthy, except for Doddaroga in parts of Dodballapur, Nelamangala and Anekal Taluks.

KOLAR.

8. Market is fairly supplied.
9. *Seeds sown.*—Vaisakhi paddy in the taluks of Kolar and Bowringpet.

Crops harvested and their outturn.—Sugar-cane in the taluks of Chintamani, Bagepalli, Srinivaspur and Gudibanda Sub-Taluk, yield 8 to 14 annas; horse gram in the taluks of Kolar, Bowringpet, Malur and Gudibanda Sub-Taluk, yield 2 to 4 annas; paddy in Kolar, Sidlaghatta, and Malur Taluks, yield 8 to 10 annas; avare and togari in the taluks of Kolar and Chintamani, yield 2 to 4 annas.